



IG Production Survey EQ 2.1

Customer:		Date:
Contact:	Address:	
Sales Rep:		
Current IG system (i	f applicable): 🗆 Yes 🗆 No (does not make	IG)
Spacer:	Sealant: Av	verage IG output/day:
Expected Productio	n:	
Average/day	: Peak demand/day:	Expected Growth:%
Production b	oy shift (if applicable): 🗌 Yes 🔲 No	
	First:% Second:% Thir	·d:%
Production Distribu	tion:	
Largest size	: Smallest size:	
Dual pane: _	% Triple pane:% Muntins/0	Grids:% Specials/shapes:%
Gas Fill: A	argon:% Krypton:% Mix/ot	ther:%
By airspace	highest to lowest:	
1:	% 2:% 3:	% 4:%
Addi	tional if needed:	
Spacer color	% by air space listed above:	
1:	2: 3:	4:
Addi	tional:	
Coated glass includi	ng low E by type and specialty coatings ie se	elf-cleaning etc:
Soft coat low E:	Type 1: Deleted?	□Y □N%
	Type 2: Deleted?]Y □N%
	Type 3: Deleted?]Y □N%
	Additional:	

Production Distribution:

Hard coat low E:	Type 1:	%	
	Type 2:	%	
	Type 3:	%	
	Additional:		
Specialty coating	gs or glass surfaces ie pinhead	d, obscure, embossed	where special handling required:
List by typ	e and %:		
By glass thickne	ss and type:		
SSB*:	% DSB/3mm:%	5/32"/4mm:%	5 3/16"/5mm:%
¹ / ₄ "/6mm:	% Other (specify):		
Tempered	Glass thickness/%:		
Laminated	d Glass thickness/%:		
*US only			
List stock IG size	es and %:		
1:	2:	3:	4:
Additional comm	nents and information:		

Existing Equipment:

£	L	ist e	xisti	ng e	quip	mer	nt an	d dr	aw a	ske	tch.	If po	ossib	ole, p	orovi	de a	sho	p dr	awir	ng wi	ith u	tilitie	es m	arke	ed. Ir	ndica	ate
тас	tory	pow	er s	uppi	ly (vc	ntag	e pn	ase	amp)S):																	
									_									_									—
									_									_									—
									_									_									—
									_									_									
									_									_									

Please contact Tremco Technical Service at 866-209-2404 with any questions regarding this bulletin.

