



Gasket & Corner Designs Refer to Concept Drawing 08077

HEAD CONDITION




ExoAir 110
Spectrem 1 Silicone Sealant A Continuous Bead 1" Minimum Contact
Extruded Aluminum Adaptor
TR-16016S Off-Set Dart Design

JAMB CONDITION



ExoAir 110
Spectrem 1 Silicone Sealant A Continuous Bead 1" Minimum Contact
Extruded Aluminum Adaptor
TR-16016S Off-Set Dart Design

SILL CONDITION




TR-16016S
Off-Set Dart Design

Extruded Aluminum Adaptor

The above details and related information are provided solely as a courtesy to installers using the Proglaze ETA System and may be updated or modified by Tremco without notice. Consult Tremco to ensure that you are reviewing current information. Because building codes, climate considerations and other site conditions may vary from project to project, Tremco details are not intended to provide exhaustive coverage of all issues that may be encountered on a particular project and/or that may affect Proglaze installation procedures and/or performance. Building owners and installers should consult and follow the published recommendations of wall, window and door manufacturers, as applicable, with respect to proper attachment of the Proglaze ETA System.

The design of the gasket shown herein is the product of Tremco Incorporated. No reproduction or use of this design is authorized without the consent of Tremco Incorporated.

1	7/16/08	Updated Text	POIRIER
No.	Date	Description	By
 TREMCO <small>SEALANT / WEATHERPROOFING DIVISION</small>			
Customer:		1451 Jacobson Ave Ashland, Ohio 44805 U.S.A.	Phone : 800-321-6357 Fax : 419-289-6645
Customer:		Customer Part No.	
Project:			
Proglaze ETA - System 2 (Off-Set Dart Design)			
Drawn by:	POIRIER	Scale:	FULL
		Date:	12/3/2007
		Drawing No.	07121