

SECUROCK® EXOAIR® 430 SYSTEM NFPA 285 ASSEMBLIES

UL System Listing	Base Wall System	Cladding/Veneer	Exterior Sheathing	Air Water Vapor Barrier	Insulation	Header Firestop Detail	Jam Firestop Detail	UL ASTM E2357 & ASTM E331
EWS0009	Steel Stud	Aluminum Panel	Gypsum	Securock ExoAir 430	N/A	Steel Flashing	Steel Flashing	Yes
EWS0016	Steel Stud	Brick	Gypsum	Securock ExoAir 430	Foam Insulation (EPI) EPS/XPS Type	Steel Lintel	Mineral Wool & Steel Flashing	Yes
EWS0017	Steel Stud	Brick	Gypsum	Securock ExoAir 430	Foam Insulation (EPI) EPS/XPS Type	Steel Lintel w/ Mineral Wool	Mineral Wool & Aluminum Flashing Frame	Yes
EWS0018	Steel Stud	Brick	Gypsum	Securock ExoAir 430	Foam Insulation (EPI) EPS/XPS Type	Steel Lintel	Brick Return	Yes
EWS0019	Steel Stud	Aluminum Panel	Gypsum	Securock ExoAir 430	N/A	Steel Flashing	Steel Flashing	Yes
EWS0020	Steel Stud	Aluminum Panel	Gypsum	Securock ExoAir 430	N/A	Steel Flashing	Steel Flashing	Yes

Tremco Commercial Sealants & Waterproofing | 3735 Green Road | Beachwood, OH 44122 | US: 800.852.9068 | CAN: 800.363.3213 | tremcosealants.com

Manufactured by
United States Gypsum Company
550 West Adams Street
Chicago, IL 60661

For Tremco Technical Support
866-209-2402
216-292-5181
tremcosealants.com



SECUROCK® EXOAIR®

Tremco® and ExoAir® are registered trademarks of Tremco Incorporated.
The trademarks USG®, SECUROCK®, the USG logo, and related marks are trademarks of USG Corporation or its affiliates.
Outsulation® is a registered trademark of Dryvit Systems Inc.
Use of the ® symbol indicates registration with the US Patent & Trademark Office and the Canadian Intellectual Property Office.

0921/SE430ULEWS